

## Civil work at selfie point near basket ball court in the University.

Sr. No	Item Name	Qty.	Unit	Basic Price in Rs.	Amount
	<b>HSR Items</b>				
1.00	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead up to 50 m and lift up to 1.5 m, as directed by Engineer-in-charge.All kinds of soil <b>HSR 4.12.1</b>	2.75	Cum		
2.00	1 :4: 8 ( 1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size) <b>HSR 6.1.6</b>	0.58	Cum		
3.00	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement-All work up to plinth level: 1 : 1. 5: 3 ( 1 cement : 1. 5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size) <b>HSR 6.14.1</b>	0.43	Cum		
4.00	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor four level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand(zone-111) : 3 graded stone aggregate 20 mm nominal size) <b>HSR 6.15</b>	0.67	Cum		
5.00	Lintels, beams, plinth beams, girders, bressumers sqm and cantilevers with water proof ply 12 mm thick <b>HSR 6.30.21</b>	2.85	Sqm		
6.00	Half brick masonry with common burnt clay non-modular bricks of class designation 7.5 in foundations and plinth in: cement mortar 1:4 (1 cement: 4 coarse sand) <b>HSR 7.27.2</b>	0.81	Sqm		
7.00	Brick work with common burnt clay non-modular bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand) <b>HSR 7.21.2</b>	0.81	Cum		
8.00	Half brick masonry with common burnt clay non-modular bricks of class designation 7 .5 in superstructure above plinth level up to floor IV level. Cement mortar 1 :4 ( 1 cement :4 coarse sand) <b>HSR 7.28.2</b>	2.72	Sqm		
9.00	Brick work with common burnt clay non-modular bricks of class designation 7 .5 in superstructure above plinth level up to floor IV level in all shapes and sizes in : Cement mortar 1:6 (1 cement: 6 coarse sand) <b>HSR 7.22.2</b>	0..348	Cum		

10.00	<p>Steel reinforcement for R.C.C. work, where not included in the complete rate of RCC, including straightening, cutting, bending, placing in position, binding, wastage, overlaps, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire etc.</p> <p>complete in all respect below plinth level Note:- Reinforcement shall be measured in length including hooks, if any, separately for different diameters as actually used in work , excluding overlaps. Wastage, overlaps, couplings, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire or other methods of binding &amp; placing shall not be measured and cost of these items shall be deemed to be included in the rates for reinforcement. <b>HSR 6.33.3 Cold twisted bars</b></p>	206.67	Kg		
	<b>NS item</b>				
1.00	<p>Providing &amp; fixing factory manufactured brick tiles cladding size 230mmx75mmx20mm thick ISI mark laid in cement sand mortar 1:3 on wall face jointed with white cement slury mixed with pigment to match the shade of tiles including finishing joint smmothly complete in all respect. (pioneer &amp; equivalent make).</p>	14.65	Sqm		